

ServMax X-313

Ultra-Short General Purpose GPU Edge Computing Server powered by Intel® Xeon® 6



Features

- Intel® Xeon® Processor
- Redundant 1600W Power Supply
- Up to 2x 350W TDP H100 GPU
- Extra PCIe 5.0 Slots
- On Board IPMI
- Up to 400 Gb Networking
- Up to 8x Hot-Swap Storage

Specifications

Processor	• Intel® Xeon® 6 processor
GPU	• 2x NVIDIA H100
Memory	• 32x DDR5 DIMMs per processor, RDIMM modules up to 96GB supported, 3DS RDIMM modules up to 256GB
Networking	• Integrated 2x 10Gbase-T RJ45 NIC
Storage	• 2x SlimSAS with 8 x SATA 6Gb/s ports, 2x 7-pin SATA 6Gb/s ports, 1x M.2 (2280/22110), Intel® SATA RAID 0/1/10/5
Expansion Slots	• 3x PCIe Gen5 x16 and x8 FHFL slots
System Management	• On-Board ASMB11-iKVM, 1 x TPM header with SPI interface, 1 x IPMI 2.0, 1 x 10/100/1000 management LAN
Operating Environment	• Operation temperature: 10°C ~ 40°C, Operation humidity: 8% ~ 80%, Non-operation temperature: -40°C ~ 60°C, Non-operation humidity: 20% ~ 95% (Non-condensing)
Power Supply	• Redundant 1600W CRPS
Form Factor	• 3U
Dimensions	• 131 x 438 x 450mm, 5.15" x 17.24" x 17.72"

